

GWHD71

PEBBLE PLUS

HAND DRYER

CleanAir Filtering technique

Real Plug & Play System

Built-in Air sterilizer (UV-C, ION generator)

Quiet operation


- Plug & Play installation
- Fast drying time with a Carbon free Brushless digital Motor
 - Air purifying & sterilization mode
- Quite operation 68 dB – Strong power with less noise
- Shared platform mounting – Allows for multiple dryers plug & play
- High quality ABS cover, UV coated for beautiful & durable surface finish
 - ION PURE antimicrobial – preventing bacteria growth



HIGH-SPEED ENERGY- EFFICIENT HAND DRYER

'Clean Air' Filter Filter change sensor with Indicator

- Goodwind GWHD70 has clean air filters option. So hands are dried with cleaner filtered air through Clean Air system
- LED light indicates when filter needs to be changed
- 3 layers filter included HEPA H13 material



Plug & Play Installation

- No more On site service cost'
- Easy 'snap in / out' system
- Save your service cost / self-replacement

UV lamp & Plasma ION generator

- Built in UV-C lamp kills germs & bacteria
- Bipolar ION by plasma generator neutralizing bacteria and virus (Opt.)

Quiet Operation With 68 dB

- Strong air with less noise
- This hand dryer can be used in quiet place such as offices,schools and hospitals etc.

Shared Platform Mounting Bracket

- Mounting bracket allows for multiple Goodwind hand dryerseries Plug & Play options
- You can replace our new hand dryer series using the sharedplatform mounting bracket without technician support, Justunsnap the old machine and replace it with a new unit via snapsystem. No technician is needed any more to install a new dryer!

BLDC (Brushless DC) Motor inside

- 320 Watt Lower power consumption that does not compromise on performance
- Own developed BLDC technique makes it extremely durable, 5 times longer life span than other brushed motor hand dryer

CE RoHS IPX3



● Black




● Silver



○ White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2.4kg	3.9 kg	322.1x270.5x144.6	390X320X193	108 sets	1.2x1.28x1.9




Bottom View



'TERRA4' Plug & Play Mounting bracket

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220~ 240V, 50Hz, 300W (No heat)/ 72oW(Heat)
& Rated power	AC 110~120V, 60Hz, 300W (No heat)/ 82oW(Heat)
Standby power	< o.5W (Blue angelregulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushless DC motor 300 Watts Life time >5000H
Motor RPM	30,000 RPM
Air speed	96 m/s
Air volume	84m³/h
Drying time	Under 12sec.
Noise	≤76dB(A) at 1meter
LED light	Blue LED for pointing air blow range White or Red LED moving for operating Red LED blinking for filter replacement alert
Heater	Yes, switch included on the main board
Speed control switch	Yes
Filter	Material: HEPA H13, Antimicrobial filter
UV lamp (option)	254nm lamp
Plasma Generator (option)	≥200,000 PCS/cm³@ 1m, DC12V
Operating cycle	50 sec (The machine shut down automatically after 50sec)
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115°C in motor 85C in board
Anti-theft function	Allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105 C
Drip Proof	IPX3
Electrical isolation	Class II




GWHD80

PEBBLE MINI

HAND DRYER

True Multi-product Plug & Play
Fastest drying time with compact size

- Plug & Play installation, Easy “snap in / out” system
- ION PURE anti-microbial metal preventing bacteria, mold and virus growing
 - Stunning design with high quality and durable ABS & UV coated finish
 - Strong for public area and Minimal maintenance



HIGH-SPEED

A COMPACT

LOW-ENERGY

HAND DRYER



Plug & Play Installation

- No more On site service cost'
- Easy 'snap in/out' system
- Save your service cost/ self replacement

Powerful & Compact

- Low energy – high speed
- 12 secondsFastest drying time
- Energy efficient with powerful performance

Multi-product Plug & Play platform

- TERRA4 mounting bracket allows for multiple Goodwind hand dryer series Plug & Play options
- User can simply replace or upgrade model without the need for any technician or on-sight service

ION PURE anti-microbial treatment

- ION PURE anti-microbial metal preventing bacteria, mold and virus growing

High Quality ABS Cover

- High quality ABS increases the durability of the hand dryer
- UV coating finish makes it beautiful surface, more resistant to scratches and general wear and tear

CE RoHS IPX3



● Black




● Silver



○ White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2 kg	2.6 kg	229.91x263.4x133.4	290x256x165	132sets	1.2x1..1x1.96




Bottom View



'TERRA4' Plug & Play Mounting bracket

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220 ~ 240V, 50Hz / AC 110~120V, 60Hz
Rated power	800W(Heat)
Standby power	≤0.7W
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushed motor 300 Watts Life time ≥1000H
Motor RPM	30,000 RPM
Air speed	87 m/s
Air volume	78 m3/h
Drying time	Under 12sec.
Noise	≤ 78dB(A) at 1 meter
LED light	Blue LED for pointing air blow range White LED for stand by Blue LED for operating
Heater	Yes, no switch
Operating cycle	50 sec (The machine shut down automatically after 50 sec)
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115 °C in motor 85 °C in board
Anti-theft function	Allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical isolation	Class II



GWHD22

DIAMOND

HAND DRYER

POWERFUL
ELEGANT
TOUGH
CLEAN AIR FILTRATION TECHNIQUE

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Stunning design with a high quality Aluminum case
 - Clean air filter system
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
- Air Sterilizer system with UV-C lamp and ION generator (Opt.)



HIGH-SPEED

ENERGY-

EFFICIENT

HAND DRYER



Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance

Built-in Air sterilizer (opt.)

- Air purifying & sterilization mode
- HEPA, UV-C Light and Plasma Ion generator kill Virus in the Air

CE RoHS IPX3



● Graphite



● Rose Gold




● Silver



○ White


PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2.6 kg	3.2 kg	272x136x123	410x400x330	144 sets	1.25x1.2x1.48




'Clean Air' Filter
Filter change sensor with Indicator

- Goodwind GWHD70 has clean air filters option. So hands are dried with cleaner filtered air through Clean Air system
- LED light indicates when filter needs to be changed
- 3 layers filter included HEPA H13 material



SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220 ~ 240V, 50Hz / AC 110~120V, 60Hz
Rated power	300W (No heat)/ 700W(Heat)
Standby power	≤0.5W (Blue angel regulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushless DC motor 300 Watts Life time ≥5000H
Motor RPM	30,000 RPM
Air speed	99 m/s (356.4Km/h)
Air volume	85m3/h , 50 CFM
Drying time	Under 12sec.
Noise	≤ 84dB(A) at 1 meter
LED light	Blue LED for pointing air blow range Red LED for filter replacement alert
Heater	Yes, switch included on the main board
Power switch	Yes
Filter	Material: Merv14 , Antimicrobial filter
UV lamp (option)	254nm lamp
Plasma Generator (option)	≥ 100,000 PCS/cm @ 1m , DC 12 V
Operating cycle	50 sec (The machine shut down automatically after 50 sec)
External material	Aviation aluminium materials Anodizing
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115 °C in motor 85 °C in board
Anti-theft function	2 allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical Isolation	Class 1



CRYSTAL AIR HAND DRYER

POWERFUL
ELEGANT
TOUGH

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Low energy (260 Watt motor) – high speed
- Stunning design with a high quality Aluminum case
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
 - Strong for public areas and high use



GWHD30/30NH

HAND DRYER



HIGH-SPEED ENERGY-EFFICIENT HAND DRYER

Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance

CE RoHS IPX2



● Graphite




● Rose Gold



● Silver

PACKING INFORMATION


Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3.5 kg	4 kg	272x136x123	410x400x330	144 sets	1.25x1.2x1.48



Front View

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	GWHD30: 260 Watt / Heater 500 Watt GWHD30NH: 260Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	Brusless DC motor 260 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	24,500 RPM
Air Speed	74 m/s (266 km/h)
Air Volume	84 m3 /h (50 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in board
Drip Proof	IPX2
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



DIAMOND V

HAND DRYER

POWERFUL
ELEGANT
TOUGH

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Low energy (260 Watt motor) – high speed
- Stunning design with a high quality Aluminum case
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
 - Strong for public areas and high use



GWHD31/31NH

HAND DRYER



HIGH-SPEED ENERGY-EFFICIENT HAND DRYER

Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance

CE RoHS IPX2



● Graphite




● Rose Gold



● Silver

PACKING INFORMATION


Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3.5 kg	4 kg	272x136x123	410x440x330	144 sets	1.25x1.2x1.48



Front View

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	GWHD31: 260 Watt / Heater 500 Watt GWHD31NH: 260Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	Brusless DC motor 260 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	24,500 RPM
Air Speed	74 m/s (266 km/h)
Air Volume	84 m3 /h (50 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in board
Drip Proof	IPX2
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



GWHD50

HAND DRYER

HI-SPEED
ENERGY EFFICIENT
HAND DRYER

- 12 seconds high speed drying time
- Efficiency & Powerful operation with low noise
 - Durable & Low Maintenance
 - High Quality Stainless Construction
- Intelligent real time IoT monitoring system (Opt.)
 - Remote washroom management (Opt.)



HIGH-SPEED

ENERGY-

EFFICIENT

HAND DRYER



High-Speed & Energy Efficient

- High speed hand dryer equipped with an efficient and powerful motor
- Utilizing only 360 Watts of motor power with a switchable 500 Watt heater.

Fast drying and lower noise

- 12 seconds dry time, high intensity single port nozzle.

High Quality Stainless construction

- High class Stainless brushed cover with UV coating for a strong and beautiful surface.

Easy maintenance

- Modular part design for easy filed service.

Intelligent real time monitoring system (IoT)



- WIFI network monitoring for usage statistics, maintenance schedule, malfunction alert with embedded WIFI solution. You can check all installed dryers through your computing device from any place. (Optional)

CE RoHS IPX2



Stainless, Black



Stainless Brushed ,UV coating




Stainless, White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3 kg	3.5 kg	290x211x152	340x265x205	108 sets	1.1x1.1x2.0




Front View



SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	360 Watt / Heater 500 Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	22,000 rpm, brushed motor, Life time ≥ 1000 H
Air Speed	90 m/s (324 km/h)
Air Volume	92 m3 /h (54 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in board
Drip Proof	IPX2
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



ADVERTISEMENT HAND DRYER

INTERNET OF THINGS
(IoT) REMOTE WASHROOM
MANAGEMENT

- 10.1 inch HD LCD displays Advertisements
- WIFI solution enables you to upload content from your PC
- Internet of Things (IoT) reports real time dryer statistics for remote toilet management
 - 10-12 second high speed drying
- Carbon free digital Brushless Motor (5 times longer lifespan vs. general dryers)
 - Suitable for high traffic and limited space



GWHD4A

ADVERTISEMENT

HAND DRYER



ADVERTISEMENT HAND DRYER

- 10.1 inch Industrial LCD displays commercial advertisement
- WIFI solution enables you to upload content from your PC provides real time contents uploading
- Use the Internet of Things (IoT) to monitor dryer usage & number of views of commercials in real-time
- Internet access for measuring advertising effect
- Best advertising media - most captive
- * Applicable to movie theater, shopping malls, restaurant Franchises, Public places etc.

HIGH PERFORMANCE DRYER WITH BLDC MOTOR

- Fastest drying time with a Carbon free, Digital BLDC Motor
- Low energy (260 Watt motor) – high speed
- Stunning design with a high quality aluminum case
- Longest service time with a 5 year warranty
- Perfect for washrooms with limited space
- Strong for public areas and high use

CE RoHS IPX3



Graphite




Silver

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
4.6kg	5.4 kg	293.6x250.8x158.1	379x245x345	60sets	1.15x1.1x1.9



Front View



SPECIFICATIONS

Item Category	Specifications
Screen	10.1 inch Full HD TFT Industrial Spec.
Rated Voltage	AC 220~240V / 110V
OS	Android 4.2
CPU	A20 / Dual Core / 1.2Ghz
Internet	WIFI / Ethernet
RAM	DDR3 1G
Motor Type	Brusless DC motor 260 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	24,500 RPM
Light	Blue LED for pointing air blow range
Noise Level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in board
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C

