

GWHD71

PEBBLE PLUS

HAND DRYER

CleanAir Filtering technique

Real Plug & Play System

Built-in Air sterilizer (UV-C, ION generator)

Quiet operation


- Plug & Play installation
- Fast drying time with a Carbon free Brushless digital Motor
 - Air purifying & sterilization mode
- Quite operation 68 dB – Strong power with less noise
- Shared platform mounting – Allows for multiple dryers plug & play
- High quality ABS cover, UV coated for beautiful & durable surface finish
 - ION PURE antimicrobial – preventing bacteria growth



HIGH-SPEED ENERGY- EFFICIENT HAND DRYER

'Clean Air' Filter Filter change sensor with Indicator

- Goodwind GWHD70 has clean air filters option. So hands are dried with cleaner filtered air through Clean Air system
- LED light indicates when filter needs to be changed
- 3 layers filter included HEPA H13 material



Plug & Play Installation

- No more On site service cost'
- Easy 'snap in / out' system
- Save your service cost / self-replacement

UV lamp & Plasma ION generator

- Built in UV-C lamp kills germs & bacteria
- Bipolar ION by plasma generator neutralizing bacteria and virus (Opt.)

Quiet Operation With 68 dB

- Strong air with less noise
- This hand dryer can be used in quiet place such as offices,schools and hospitals etc.

Shared Platform Mounting Bracket

- Mounting bracket allows for multiple Goodwind hand dryerseries Plug & Play options
- You can replace our new hand dryer series using the sharedplatform mounting bracket without technician support, Justunsnap the old machine and replace it with a new unit via snapsystem. No technician is needed any more to install a new dryer!

BLDC (Brushless DC) Motor inside

- 320 Watt Lower power consumption that does not compromise on performance
- Own developed BLDC technique makes it extremely durable, 5 times longer life span than other brushed motor hand dryer

CE RoHS IPX3  



● Black




● Silver



○ White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2.4kg	3.9 kg	322.1x270.5x144.6	390X320X193	108 sets	1.2x1.28x1.9




Bottom View



'TERRA4' Plug & Play Mounting bracket

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220~ 240V, 50Hz, 300W (No heat)/ 72oW(Heat)
& Rated power	AC 110~120V, 60Hz, 300W (No heat)/ 82oW(Heat)
Standby power	< o.5W (Blue angelregulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushless DC motor 300 Watts Life time >5000H
Motor RPM	30,000 RPM
Air speed	96 m/s
Air volume	84m³/h
Drying time	Under 12sec.
Noise	≤76dB(A) at 1meter
LED light	Blue LED for pointing air blow range White or Red LED moving for operating Red LED blinking for filter replacement alert
Heater	Yes, switch included on the main board
Speed control switch	Yes
Filter	Material: HEPA H13, Antimicrobial filter
UV lamp (option)	254nm lamp
Plasma Generator (option)	≥200,000 PCS/cm³@ 1m, DC12V
Operating cycle	50 sec (The machine shut down automatically after 50sec)
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115°C in motor 85C in heater
Anti-theft function	Allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105 C
Drip Proof	IPX3
Electrical isolation	Class II




GWHD80

PEBBLE MINI

HAND DRYER

True Multi-product Plug & Play
Fastest drying time with compact size

- Plug & Play installation, Easy “snap in / out” system
- ION PURE anti-microbial metal preventing bacteria, mold and virus growing
 - Stunning design with high quality and durable ABS & UV coated finish
 - Strong for public area and Minimal maintenance



HIGH-SPEED

A COMPACT

LOW-ENERGY

HAND DRYER



Plug & Play Installation

- No more On site service cost'
- Easy 'snap in/out' system
- Save your service cost/ self replacement

Powerful & Compact

- Low energy – high speed
- 12 secondsFastest drying time
- Energy efficient with powerful performance

Multi-product Plug & Play platform

- TERRA4 mounting bracket allows for multiple Goodwind hand dryer series Plug & Play options
- User can simply replace or upgrade model without the need for any technician or on-sight service

ION PURE anti-microbial treatment

- ION PURE anti-microbial metal preventing bacteria, mold and virus growing

High Quality ABS Cover

- High quality ABS increases the durability of the hand dryer
- UV coating finish makes it beautiful surface, more resistant to scratches and general wear and tear

CE RoHS IPX3



● Black




● Silver



○ White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2 kg	2.6 kg	229.91x263.4x133.4	290x256x165	132sets	1.2x1.1x1.96




Bottom View



‘TERRA4’ Plug & Play Mounting bracket

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220 ~ 240V, 50Hz / AC 110~120V, 60Hz
Rated power	800W (230V, Heat) / 900W (110V, Heat)
Standby power	≤0.5W (Blue angelregulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~25mm
Motor type	Brushed motor 400 Watts Life time ≥1000H
Motor RPM	30,000 RPM
Air speed	96 m/s
Air volume	84 m3/h
Drying time	Under 12sec.
Noise	≤ 72dB(A) at 1 meter
LED light	Blue LED for pointing air blow range White LED for stand by Blue LED for operating
Heater	Yes, with switch
Operating cycle	50 sec (The machine shut down automatically after 50 sec)
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 105 °C in motor 85 °C in heater
Anti-theft function	Allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical isolation	Class II



GWHD22

DIAMOND

HAND DRYER

POWERFUL
ELEGANT
TOUGH
CLEAN AIR FILTRATION TECHNIQUE

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Stunning design with a high quality Aluminum case
 - Clean air filter system
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
- Air Sterilizer system with UV-C lamp and ION generator (Opt.)



HIGH-SPEED

ENERGY-

EFFICIENT

HAND DRYER



Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance

Built-in Air sterilizer (opt.)

- Air purifying & sterilization mode
- HEPA, UV-C Light and Plasma Ion generator kill Virus in the Air

CE RoHS IPX3



● Graphite



● Rose Gold




● Silver



○ White


PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
2.6 kg	3.2 kg	272x136x123	410x400x330	144 sets	1.25x1.2x1.48




'Clean Air' Filter
Filter change sensor with Indicator

- Goodwind GWHD22 has clean air filters option. So hands are dried with cleaner filtered air through Clean Air system
- LED light indicates when filter needs to be changed
- 3 layers filter included HEPA H13 & Antimicrobial material



SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220 ~ 240V, 50Hz / AC 110~120V, 60Hz
Rated power	320W (No heat)/ 720W(Heat)
Standby power	≤0.5W (Blue angel regulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushless DC motor 320 Watts Life time ≥5000H
Motor RPM	30,000 RPM
Air speed	98 m/s (356.4Km/h)
Air volume	85m3/h , 50 CFM
Drying time	Under 12sec.
Noise	≤ 75dB(A) at 1 meter
LED light	Blue LED for pointing air blow range Red LED for filter replacement alert
Heater	Yes, switch included on the main board
Power switch	Yes
Filter	Material: HEPA 13, Antimicrobial filter
UV lamp (option)	254nm lamp
Plasma Generator (option)	≥ 100,000 PCS/cm @ 1m , DC 12 V
Operating cycle	50 sec (The machine shut down automatically after 50 sec)
External material	Aviation aluminium materials Anodizing
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115 °C in motor 85 °C in heater
Anti-theft function	2 allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical Isolation	Class 1



CRYSTAL AIR HAND DRYER

POWERFUL
ELEGANT
TOUGH

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Low energy (320 Watt motor) – high speed
- Stunning design with a high quality Aluminum case
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
 - Strong for public areas and high use



GWHD30/30NH

HAND DRYER



HIGH-SPEED ENERGY-EFFICIENT HAND DRYER

Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance


CE RoHS IPX2



● Graphite




● Rose Gold



● Silver

PACKING INFORMATION


Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3.5 kg	4 kg	272x136x123	410x400x330	144 sets	1.25x1.2x1.48



Front View

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	GWHD30: 320 Watt / Heater 500 Watt GWHD30NH: 320Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	Brusless DC motor 320 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	30,000 RPM
Air Speed	84 m/s (302.4km/h)
Air Volume	93m3 /h (54 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in heater
Drip Proof	IP22
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



DIAMOND V

HAND DRYER

POWERFUL
ELEGANT
TOUGH

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Low energy (320 Watt motor) – high speed
- Stunning design with a high quality Aluminum case
 - Longest service time with a 5 year warranty
 - Perfect for washrooms with limited space
 - Strong for public areas and high use



GWHD31/31NH

HAND DRYER



HIGH-SPEED ENERGY-EFFICIENT HAND DRYER

Powerful

- Low energy – high speed
- Fastest drying time with a Carbon free, digital brushless motor
- Energy efficient with powerful performance
- High intensity single port nozzle

Elegant

- Stunning design with a high quality Aluminum case
- Beautiful colors and a diamond cut edge
- Blue LED to guide users intuitively to the optimum drying zone
- Perfect for washrooms with limited space

Tough

- Longest service time with a 5 year warranty (Limited)
- Strong for public areas and high use
- Minimal maintenance

CE RoHS IPX2



● Graphite




● Rose Gold



● Silver

PACKING INFORMATION


Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3.5 kg	4 kg	272x136x123	410x440x330	144 sets	1.25x1.2x1.48



Front View

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	GWHD31: 320 Watt / Heater 500 Watt GWHD31NH: 320Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	Brusless DC motor 320 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	30,000 RPM
Air Speed	84 m/s (302.4 km/h)
Air Volume	93 m3 /h (54 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in heater
Drip Proof	IP22
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



YSHD20

HANDS - IN

HAND DRYER

BEAUTY OUTSIDE
STRONG INSIDE
FASTEST DRYING TIME

- Fastest drying time with a Carbon free, Digital brushless Motor
 - Low energy (1000 Watt motor) – high speed
 - Antibacterial air pass with ION PURE
- Hygienic HEPA 13 filter media with easy changeable system
 - Water full sensor, filter change sensor with indicator
 - Built-in antibacterial UV-Clamp and nanoe™ (optional)



YSHD20

HAND DRYER



HIGH-SPEED ENERGY-EFFICIENT HAND DRYER

Powerful

- New Breshless Motor, Low power consumption - only 1000W
- Fastest drying time with a Carbon free, digital brushles motor
- Dries hands from both sides at the same time, up to 85% less energy usage compared to standard dryers

Hygienic

- Hygienic HEPA13 filter meddia with easy changeble system
- Antibacterial coating with ION PURE
- Anti-splash: keeps the surrounding area clean and dry
- Built-in antibacterial UV-Clamp and nanoe™ (optional)

Easy Maintenance

- Water collection reservoir
- Water full sensor, filter change sensor with indicator
- Remote control for showing uses and time in operation



White




Silver

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
9 kg	11.3 kg	272x136x123	660x330x230	24sets	1.1x1.1x1.98




Top View



SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220 ~ 240V, 50Hz / AC 110~120V, 60Hz
Rated power	1000W (high speed) / 700W (low speed)
Standby power	≤0.5W (Blue angel regulation)
Motor type	SRM (switched reluctance) brushless DC motor
Motor RPM	30,000 RPM
Motor type	Brushless DC motor 1000 Watts Life time ≥5000H
Motor speed controller	2steps speed adjustable
Air speed	155m/s (558 Mph)
Drying time	10 sec.
Noise	≤ 76dB(A) at 1 meter
Drying time	Under 12sec.
Water tank	Yes, auto alert water full system
Filter	HEPA 13 meddia filter + Screen filter(Dual) change it yourself Auto alert filter Changing time system
Power switch	Yes
UV lamp (option)	254nm lamp
Nanoe™ (option)	≥ 6,000 * 10 ⁹ PCS/sec, DC 12 V, 0.5W
Operating cycle	20 sec (The machine shut down automatically after 20 sec)
External material	ABS, surface UV spary coating
Internal material	Heatproof PP fireproof 94V0
Protection device	Auto reset safety overload against 115 °C in motor 85 °C in boa
Anti-theft function	Anti-theft function of water tank and filter
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical Isolation	Class II




GWHD50

HAND DRYER

HI-SPEED
ENERGY EFFICIENT
HAND DRYER

- 12 seconds high speed drying time
- Efficiency & Powerful operation with low noise
 - Durable & Low Maintenance
 - High Quality Stainless Construction
- Intelligent real time IoT monitoring system (Opt.)
 - Remote washroom management (Opt.)



HIGH-SPEED

ENERGY-

EFFICIENT

HAND DRYER



High-Speed & Energy Efficient

- High speed hand dryer equipped with an efficient and powerful motor
- Utilizing only 500 Watts of motor power with a switchable 500 Watt heater.

Fast drying and lower noise

- 12 seconds dry time, high intensity single port nozzle.

High Quality Stainless construction

- High class Stainless brushed cover with UV coating for a strong and beautiful surface.

Easy maintenance

- Modular part design for easy filed service.

Intelligent real time monitoring system (IoT)



- WIFI network monitoring for usage statistics, maintenance schedule, malfunction alert with embedded WIFI solution. You can check all installed dryers through your computing device from any place. (Optional)

CE RoHS IP23



Stainless, Black



Stainless Brushed ,UV coating




Stainless, White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3 kg	3.5 kg	290x211x152	340x265x205	108 sets	1.1x1.1x2.0




Front View



SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	110~120V / 220~240 V , 50~60 Hz
Rated Power	500 Watt / Heater 500 Watt
Standby Power	≤ 0.5 W (satisfied by blueangel)
Motor Type	27,000 rpm, brushed motor,
Air Speed	80 m/s (288 km/h)
Air Volume	90 m3 /h (53 CFM)
Light	Blue LED for pointing air blow range
Noise level	≤ 71 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in heater
Drip Proof	IP23
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C



GWHD51PP

PEBBLE PLUS

HAND DRYER

CleanAir Filtering technique
Real Plug & Play System
Built-in Air sterilizer (UV-C, ION generator)
Quiet operation

- Plug & Play installation
- Fast drying time with a Carbon free Brushless digital Motor
 - Air purifying & sterilization mode
 - Quite operation 68 dB – Strong power with less noise
- Shared platform mounting – Allows for multiple dryers plug & play
 - High quality Stainless cover
 - ION PURE antimicrobial – preventing bacteria growth



HIGH-SPEED


ENERGY-

EFFICIENT

HAND DRYER

'Clean Air' Filter
Filter change sensor with Indicator

- Goodwind GWHD51PP has clean air filters option. So hands are dried with cleaner filtered air through Clean Air system
- LED light indicates when filter needs to be changed
- 3 layers filter included HEPA H13 material



Plug & Play Installation

- No more On site service cost'
- Easy 'snap in / out' system
- Save your service cost / self-replacement

UV lamp & Plasma ION generator

- Built in UV-C lamp kills germs & bacteria
- Bipolar ION by plasma generator neutralizing bacteria and virus (Opt.)

Quiet Operation With 68 dB

- Strong air with less noise
- This hand dryer can be used in quiet place such as offices,schools and hospitals etc.

Shared Platform Mounting Bracket

- Mounting bracket allows for multiple Goodwind hand dryerseries Plug & Play options
- You can replace our new hand dryer series using the sharedplatform mounting bracket without technician support, Justunsnap the old machine and replace it with a new unit via snapsystem. No technician is needed any more to install a new dryer!


BLDC (Brushless DC) Motor inside

- 320 Watt Lower power consumption that does not compromise on performance
- Own developed BLDC technique makes it extremely durable, 5 times longer life span than other brushed motor hand dryer

CE RoHS IPX3



● Black




● Silver



○ White

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
3kg	4 kg	322.1x270.5x144.6	690X360X410	96sets	1.4x1.1x1.8




Bottom View



Plug & Play Mounting bracket

SPECIFICATIONS

Item Category	Specifications
Voltage & Frequency	AC 220~ 240V, 50Hz, 300W (No heat)/ 72oW(Heat)
& Rated power	AC 110~120V, 60Hz, 300W (No heat)/ 82oW(Heat)
Standby power	< o.5W (Blue angelregulation)
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~20mm
Motor type	Brushless DC motor 300 Watts Life time >5000H
Motor RPM	30,000 RPM
Air speed	96 m/s
Air volume	84m³/h
Drying time	Under 12sec.
Noise	≤76dB(A) at 1meter
LED light	Blue LED for pointing air blow range White or Red LED moving for operating Red LED blinking for filter replacement alert
Heater	Yes, switch included on the main board
Speed control switch	Yes
Filter	Material: HEPA H13, Antimicrobial filter
UV lamp (option)	254nm lamp
Plasma Generator (option)	≥200,000 PCS/cm³@ 1m, DC12V
Operating cycle	50 sec (The machine shut down automatically after 50sec)
Internal material	Heatproof PP fireproof 94VO
Protection device	Auto reset safety overload against 115°C in motor 85C in heater
Anti-theft function	Allen lock screws and lock with allen wrench
Internal lead wire	Temperature resistant 105 C
Drip Proof	IP23
Electrical isolation	Class I



GWHD52


COMPACT

HAND DRYER

A compact, low carbon
stainless-steel
high-speed hand dryer

- 12 seconds high speed drying time
- Efficiency & Powerful operation with low noise
 - Durable & Low Maintenance
- High Quality Stainless Construction





SPECIFICATIONS

Item Category	Specifications
Material	Stainless Steel
Voltage & Frequency	AC 220~ 240V, 50Hz, AC 110~120V, 60Hz,
Rated power	840W@AC230V(HIGH), 250w@AC230V(low) 940W@AC120V(HIGH), 250w@AC120V(low)
Standby power	<0.9W
Sensing type	Auto Infrared touch free operation
Sensing Range	45° 10~25cm
Motor type	Brushed motor 420Watts Life time ≥1000H
Motor RPM	30,000 RPM@AC230V
Air speed	95 m/s (HIGH SPEED)
Air volume	83 m³/h (49 CFM) (HIGH SPEED)
Drying time	Under 12 sec
Noise	≤71dB(A) at 1 meter
Speed control switch	Yes, switch on main board
Operating cycle	50 sec (auto-shutdown)
Internal material	Heatproof PP fireproof 94V0
Protection device	Auto reset safety overload against 105 °C in motor 85 °C in Heating element
Anti-theft function	Allen lock screws + wrench
Internal lead wire	Temperature resistant 105°C
Drip Proof	IPX3
Electrical isolation	Class I



● Black



● Silver



○ White

PACKING INFORMATION

Unit Wight	Unit Size (mm)	Gross Weight	Box size (mm)	Qty per Box
2 kg	256*174.5*110	10 kg	605*240*330	4Units

ADVERTISEMENT HAND DRYER

INTERNET OF THINGS
(IoT) REMOTE WASHROOM
MANAGEMENT

- 10.1 inch HD LCD displays Advertisements
- WIFI solution enables you to upload content from your PC
- Internet of Things (IoT) reports real time dryer statistics for remote toilet management
 - 10-12 second high speed drying
- Carbon free digital Brushless Motor (5 times longer lifespan vs. general dryers)
 - Suitable for high traffic and limited space



GWHD4A

ADVERTISEMENT

HAND DRYER



ADVERTISEMENT HAND DRYER

- 10.1 inch Industrial LCD displays commercial advertisement
- WIFI solution enables you to upload content from your PC provides real time contents uploading
- Use the Internet of Things (IoT) to monitor dryer usage & number of views of commercials in real-time
- Internet access for measuring advertising effect
- Best advertising media - most captive
- * Applicable to movie theater, shopping malls, restaurant Franchises, Public places etc.

HIGH PERFORMANCE DRYER WITH BLDC MOTOR

- Fastest drying time with a Carbon free, Digital BLDC Motor
- Low energy (320 Watt motor) – high speed
- Stunning design with a high quality aluminum case
- Longest service time with a 5 year warranty
- Perfect for washrooms with limited space
- Strong for public areas and high use

CE RoHS IPX3



● Graphite




● Silver

PACKING INFORMATION

Unit weight	Gross Weight	Unit Size (mm)	Box size (mm)	Q'ty a pallet	Pallet size(m)
4.6kg	5.4 kg	293.6x250.8x158.1	379x245x345	60sets	1.15x1.1x1.9



Front View



SPECIFICATIONS

Item Category	Specifications
Screen	10.1 inch Full HD TFT Industrial Spec.
Rated Voltage	AC 220~240V / 110V
OS	Android 10
CPU	Cortex-A53, 1.5Ghz
Internet	WIFI / Ethernet
RAM	EMMC 8G
Motor Type	Brusless DC motor 320 Watts, Life time ≥ 5,000 H (1,500,000 operation times based on 12 sec drying time)
Motor Speed	30,000 RPM
Light	Blue LED for pointing air blow range
Noise Level	≤ 72 dB(A) @ 1 meter
Protection Device	Auto reset safety overload against 115 °C in motor 85 °C in board
External Material	Aluminium materials Anodizing
Internal Material	Heatproof PP fireproof 94VO
Internal lead wire	Temperature resistant 105 °C

